Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200

Purchasing Receipts

PO No	Supplier	Line Item No		Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total
PO038863	MES002- VC	4	1			17-4 SS H900 Round Bar 1.00": M174PH- H900R0.500 MATERIAL: 17- 4 PH COND. H900 AS PER AMS 5643 NOTE: PLEASE SHIP MATERIAL TO METCOR INC. 560 BOULV. ARTHUR SAUVE SAINT- EUSTACHE, QC J7R-5A8 450-473-1884 receive fi				24	2/9/2018	24		\$041668	Stock	2/13/2018	\$ 26.35 / ft	0		\$632
		2			M17-4-H900- R2.750	17-4 SS H900 Round Bar 2,750": MATERIAL: 17-4 PH COND. H900 M174PH- H900R0.625 AS PER AMS 5643 NOTE: PLEASE SHIP MATERIAL TO METCOR INC. 550 BOULV. ARTHUR SAUVE SAINT- EUSTACHE, QC J/R-5A8 450-473-1884 receive ft				12		12		S041669	Stock	2/13/2018	\$ 189.80 / ft	0		\$2,277.
									Total:	36	-	36		-	-	-	-			2,311.1

Plex 2/13/2018 8:48 AM Dart Dubois Pascal

Shipping Order 07/02/2018 METAUX SOLUTIONS INC 2625 BOUL JACQUES CARTIER EST Order : 132218 Reference OKGUEUIL QUEBEC : 38863 Bid : 25747 Ship : PICK UP / PICK UP Customer: 6323336 Ship To DART AEROSPACE LED 1270, ABERDEEN STREET Same HAWKESBURY, ONTARIO. K6A 1K7 Tel.: 1 613 632-3336 Item No. Description Otv Qty. Deliver B/O Oiv ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N SR234174 ST 17-4PH ROU 2:750 DIA COND. H900 1 X 12' R/L ** HT:504m SR1174900 17-4PH COND 900 1 DIA. 2 X 12' R/L ******* HT:452K SHIP JOURNEY COLLECT JP

Ref.

Shipping

Package No :

Merchandise Received:

Shipping Order 07/02/2018 METAUX SOLUTIONS INC Order 2625 BOUL JACQUES CARTIER EST : 132218 LONGUEUIL, QUEBEC Reference : 38863 J4N 1L7 Tel.: 450 641-3330 Bid : 25747 Ship : PICK UP / PICK UP Customer: 6323336 Ship To DART AEROSPACE LTD 1270, ABERDEEN STREET Same HAWKESBURY, ONTARIO K6A 1K7 Tel.: 1613632-3336 Item No. Description Qtv Oty. Deliver B/O Otv ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N ******* FACTURER E-MAIL ******** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N SR234174 ST 17-4PH ROU 2.750 DIA COND. H900 1 X 12' R/L ******* HT:504m SR1174900 17-4PH COND 900 1 DIA. 2 X 12'-R/L HT:452K SHIP JOURNEY COLLECT JP Mall Bunda

Ref.

Shipping

Puckage No :

Merchandise Received:



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

PURCHASE ORDER PO038863

Tel (613) 632-5200

MES002-VC Supplier:

Metaux Solutions

2625 boul Jacques-Cartiler Est

Longueuil QC

J4N 1L7 Canada Phone: 800 558 8858 Fax: 514 633 8044

1270 Aberdeen Street

Hawkesbury

K6A 1K7 Canada Phone: 613-632-5200

ON

PO No:

PO038863

1/25/18 PO Date:

2/9/18 Due Date:

Purchase Order Revision:

Revision Date:

Phone: Ship-To Contact:

IAN 2 6 2018

Via:

Ground

Pymt Terms:

Net 30

Freight Terms:

Special Comments:

Items

Extended Unit Received Order Due Price (CAD) Price Supplier Quantity Balance Line Quantity Date Description Status Part No \$26.35/ft \$632.40 Part Item 24 ft Oft. Firmed 2/9/18 24 ft 17-4 SS H900 Round Bar M17-4-H900-

Firmed 2/9/18

Firmed 2/9/18

Firmed 2/9/18 200 pcs

Ship To:

1.00 R1.000

: M174PH-H900R0.500

MATERIAL: 17-4 PH COND. H900 AS PER AMS 5643

NOTE: PLEASE SHIP MATERIAL TO METCOR INC. 560 BOULV. ARTHUR SAUVE SAINT-EUSTACHE, QC J7R-5A8 450-473-1884

receive ft

2 M17-4-H900-R2.750

M304B0.250x0.500

17-4 SS H900 Round Bar

2.750"

: MATERIAL: 17-4 PH COND. H900 M174PH-H900R0.625 AS PER AMS 5643 NOTE: PLEASE SHIP MATERIAL TO METCOR INC. 560 BOULV. ARTHUR

SAUVE SAINT-EUSTACHE, QC J7R-5A8 450-473-1884

receive ft

4130 Sheet .250 3 M4130NS.250

MATERIAL: AISI 4130N STEEL SHEET AS PER OR AS PER AMS 6345 MIL-S-18729 OR AMS 6350 OR

AMS 6351 receive sf

304 Bar .250 X .500

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM **A276 OR ASTM A240** NOTE: AISI 303 NOT

ACCEPTABLE receive ft

12 ft

36 sf

FFB 1 3 2018

DAS 1239

0 ft

365f

\$189.80/ft \$2,277.60 12 ft

FFB 1 3 2018

DAS 9439

36 sf \$59.109722/sf \$2,127.95 DAS

FEB 0 7 2018

9-89

\$850.00 \$4.25/pcs 0 pcs 200 pcs

> FEB 0 7 2018 DAS

> > 9-89 \$6,887.95 Grand Total:

Plex 1/25/18 12:44 PM dart.lavoie.chanta

Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 1/25/18 12:44 PM dart.lavoie.chantal

Bid

25/01/2018

25747

METAUX SOLUTIONS INC

2625 BOUL JACQUES CARTIER EST

LONGUEUIL, QUEBEC

J4N 1L7

Tel.: 450 641-3330

Sales Rep. Reference : JEROME PRIMEAU

: CHANTAL Expiration Date : 25/04/2018

Ship To :

Same

Tel.: 1613632-3336

Customer: 6323336

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ONTARIO

K6A 1K7

N. N.	Description	Qty	Price	Total	Tx
Item No.					
	SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N				٨
MP144130	4130N PLATE .250"	1	2127.95	2 127.95	Α
	1 X 36" X 144"		400.00	2 277.60	A
SR234174	ST 17-4PH ROU 2.750 DIA COND. H900	12	189.80	6. 6.711.00	
	1 X 12' R/L		20.25	316.20	Α
SR1174900	17-4PH COND 900 1 DIA.	12	26.35	370.20	
5/(1114000	1 X 12' R/L				
,					
	THA CAVE				

7/10 DAYS

4 721.75 Subtotal 613.83 HST : A) Regist :

Total:

5 335.58

Chantal Lavoie

From:

Regis Quenneville

Sent:

Tuesday, January 23, 2018 3:47 PM

To:

Kim Johnston; Chantal Lavoie

Subject:

MAT'L

Hi Kim, can you enter the following mat'l in the system:

M17-4-H900-R2.750 XIZ

Hi Chantal, can you order a couple feet of this atleast.

Thanks,

RQ

P/N RBE350A93-3316-20-1 350 FIELD MAINTENANCE KIT metaux scelentics

4130N sheet , 250" 325F= 4140H R 1.5" 1+

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M17- DATE. F	4-49 EB 13	700-R1 3 2018	-150	PO BATO	- NO 038863	1804166
- QUANTITY RECEIVED:	1211			THICKNESS ORDI THICKNESS RECE	14 Mark 1966 - 4 Au	Application
QUANTITY INSPECTED:	211		_	SHEET SIZE ORDS	ERED: NI	4
QUANTITY REJECTED:	0	a	- .	SHEET S.ZE RECE	VED N	4
DESCRIPTION	NCF (Chec Y/N)	ck :	140	COMMEN	īS	
SURFACE DAMAGE	Y (N)		*		
CORRECT FINISH	0	N				
CORROSION		N)	(10.10)		and the second	
CORRECT GRAIN DIRECTION	(2)	N L			THE RESIDENCE AND ADDRESS.	
CORRECT MATERIAL PER M-DRAWING	(2)	N Ams	5643			
CORRECT THICKNESS		N			Al- Marie (a)	
PHOTO REQUIRED	Y		1			
CORRECT REF # TO LINK CERT		N Her	# 50	4m		
CORRECT MATERIAL IDENTFICATION		N				
CORRECT M# ON THE MATERIAL	(2)	N				
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	0				
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	0				
CUT SAMPLE PIECE			AND PREF		ESS CHECK.	
		HRC	HRB	DURA	DURE	· MES
TYPE OF MATERIAL						
SIZE OF TEST SAMPLE			İ		1	
HARDNESS / DUROMETER READI	NG					
	<u>teste</u>	ers located in	the Quality	Office		

(2)(18 INSPECTION		ENGINEERING SIGNOFF (IT is
	INSPECTED BY:	11 11	SIGNED OFF BY:
-	DATE:	FEB 1 3 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

N

00

B PURCHASE MATERIAL: 17-4 PH / TYPE 630 / S17400 SS BAR GRAIN MUST BE ALONG LENGTH OF BAR MINIMUM YIELD STRENGTH PER TABLE MINIMUM ULTIMATE STRENGTH PER TABLE

0

AMS 5604 OR AMS 5643 OR ASTM A693 OR ASTM 564

B (1)

> PART NUMBER: SPECIFICATION:

B

MATERIAL CONDITION TABLE: M17-4- HHHHHH-BT T.TTT X WW.WWW WHERE: HHHHH SPECIFIES THE MATERIAL CONDITION (PER TABLE BELOW)
T.TTT SPECIFIES THE THICKNESS
WW.WWW SPECIFIES THE WIDTH

(OMITTED) CONDA H900 H925 H1025 H1075 H1100 H1150 CODE CONDITION A (SOLUTION TREATED) NONE SPECIFIED (CONDITION A NOT ACCEPTABLE) CONDITION H900 H925 H1026 H1075 H1150 MIN YIELD TENSILE STRENGTH (KSI) 170 1125 105 100 MIN ULTIMATE TENSILE STRENGTH (KSI) 190 145 135 150

NOTES: MATERIAL IN H900 AND H925 CONDITION NOT RECOMMENDED FOR TENSION OR SHEAR APPLICATIONS IN COLD WEATHER CONDITIONS MATERIAL IN H900 AND H925 CONDITION NOT RECOMMENDED FOR APPLICATIONS WHERE STRESS CORROSION CRACKING IS POSSIBLE

CONDITION A NOT TO BE USED IN DESIGN FOR FINAL PRODUCT AND SHOULD ALWAYS BE HEAT TREATED

B

EXAMPLES:

PART 0.250" X 4.000" BAR MIN UTS = 150 KSI, MIN YTS = 100 KST 1.000" X 2.500" BAR H900 CONDITION 0.500" X 3.250" BAR H9025 CONDITION 0.500" X 3.250" BAR A CONDITION 0.750" X 2.500" BAR A CONDITION PART NUMBER M17-4-80.250X3.00 M17-4-190.081.000X2.500 M17-4-H1025-80.500X3.250 M17-4-CONDA-80.750X2.500

-LINDS DELEAS 2017 -10-728 * m

4

w

17.09.14

00

APPROVED

DRAWN
CHECKED
MFG. APPR.
APPROVED
DE APPR.
DATE 17 DESIGN REV. > Ø NEW ISSUE CP WM DESCRIPTION M17-4-B 17-4 SS BAR SBURY, ONTARIO, CANADA S BY DS SHEET 1 OF 1

ADD MATERIAL CONDITION AND REFORMAT DRAWING (CIR17-107)

DART AEROSPACE LTD 02.04.18 DATE 17.09.14

03

O

0

REV. B

COPYRIGHT 69:302 BY DART AEROSPACE LTD THE DOCUMENT AS OF DESCRIPTION OF THE DOCUMENT AS OF DESCRIPTION OF SERVICE OF THE DOCUMENT AS OF DESCRIPTION OF SERVICE OF THE DOCUMENT OF SERVICE OF DESCRIPTION OF SERVICE OF

SCALE

NTS

MATERIAL RECEIPT INSPECTION FORM

MATERIAL MIT	-4-11900-R	1-000	20 BA	TO- NO.088863 60
DATE.	FEB 1 3 2	018		0.000000000
MATERIAL CERT REC'D.	V25		TURNALISA	
QUANTITY RECEIVED:	241		- ITIOANESS OF	DERED: 1-000
QUANTITY INSPECTED:	2111		THICKNESS RE	OEIVED: 1-000
QUANTITY REJECTED:	24		SHEET SIZE OR	DERED NIA
WOUNTER KENEUTEN	9		SHEET SIZE RE	DEIVED NA
	NOD			
DESCRIPTION	NCR (Check			or to the file except
	Y/N)		SOMME	NTS .
SURFACE DAMAGE	KIN			
CORRECT FINISH	ON		3	
CORROSION	YN			
CORRECT GRAIN DIRECTION	(V) Ni			
CORRECT MATERIAL PER M-DRAWING	120	100 17110		and the state of t
CORRECT THICKNESS	ON	15 3643		
PHOTO REQUIRED	YN			
CORRECT REF # TO LINK CERT	N NIL	+#+ (/ a)		THE PERSON AND A PERSON AND ADDRESS OF THE PERSON ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AND ADDRESS OF THE PERSON AD
ORRECT MATERIAL IDENTFICATIO	NON	201# 452K		The state of the s
CORRECT M# ON THE MATERIAL	(Y) N			
DOES THIS MATERIAL REQUIRE	1			
ENGINEERING SIGN OFF	Y (N)			Marie I Samuel van
DOES THIS REQUIRE AN	1			
EXTRUSION REPORT	YN			
CLIT SAMPLE DEC				of a lab hands
CUT SAMPLE PIEC	DECORP.	AL AND PREFO	RM A HARDNE	SS CHECK
	NECURD	RESULTS BELO	CW	
PE OF MATERIAL	HRC	HRB	DURA	DURD WE
ZE OF TEST SAMPLE				1
RDNESS / DUROMETER READII	vg -			-
		4:		
	Lesters locate	ed in the Quality Of	fice	The second secon
18 INSPECTION				

QC 18 INSPECTION		
. INSPECTED BY:	DAS	ENGINEERING SIGNOFF (IF its
DATE:	9-89 FEB 1 3 2018	SIGNED OFF BY:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SPECIFICATION CONTROL DRAWING

ω

N

0

PURCHASE MATERIAL: 17-4 PH / TYPE 630 / S17400 SS BAR GRAIN MUST BE ALONG LENGTH PER TABLE MINIMUM VIELD STRENGTH PER TABLE MINIMUM ULTIMATE STRENGTH PER TABLE PART NUMBER: SPECIFICATION:

0

AMS 5604 OR AMS 5643 OR ASTM A693 OR ASTM 564

M17-4- HHHHHH-BETETITIX WWW.WWW WHERE: HHHHH SPECIFIES THE MATERIAL CONDITION (PER TABLE BELOW)
T.TTT SPECIFIES THE THICKNESS
WWW.WWW SPECIFIES THE WIDTH

B

MATERIAL CONDITION TABLE:

8

(OMITTED) CONDA H900 H925 H1025 H1075 H1100 CODE NONE SPECIFIED
(CONDITION A NOT
ACCEPTABLE)
H900
H925
H1075
H1075
H1076
H1190
CONDITION A
(SOLUTION TREATED) CONDITION MIN YIELD TENSILE STRENGTH (KSI) 100 15 15 15 17 MIN ULTIMATE TENSILE STRENGTH (KSI) 150

0

NOTES: MATERIAL IN H900 AND H925 CONDITION NOT RECOMMENDED FOR APPLICATIONS WHERE STRESS CORROSION CRACKING IS POSSIBLE MATERIAL IN H900 AND H925 CONDITION NOT RECOMMENDED FOR TENSION OR SHEAR APPLICATIONS IN COLD WEATHER CONDITIONS

CONDITION A NOT TO BE USED IN DESIGN FOR FINAL PRODUCT AND SHOULD ALWAYS BE HEAT TREATED

PART NUMBER M17-4-B0.250X4.000 M17-4-H0.250X4.000 M17-4-H1025-B0.50X3.250 M17-4-CONDA-B0.750X2.500

ECN17-728 DELEAS 2017 -10- 3 1

APPROVED

DRAWN DESIGN REV. CO NEW ISSUE ADD MATERIAL CONDITION AND REFORMAT DRAWING (CIR17-107) CP NO ON NO DESCRIPTION DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO.
M17-4-B
SHEE TITLE ЧΒ DS Š

02.04.18 DATE 17.09.14

0

œ

EXAMPLES:

0

PART 0.250" X 4.000" BAR MIN UTS = 150 KSI, MIN YTS = 100 KSI 1.000" X 2.500" BAR H900 CONDITION 0.500" X 3.250" BAR H1025 CONDITION 0.750" X 2.500" BAR A CONDITION

>

co

APPROVED
DE APPR.
DATE 17 CHECKED

17.09.14 17-4 SS BAR 2002 BY DART AEROSPACE LTD

BETALLIND IS SUPLED OF THE EMPESS CONDITION THAT IT IS

ROPED OF COMMERCACTO TO ARY OTHER PURCH WITHOUT

SHEET 1 OF 1 REV. B

D

SCALE

NTS

w

CERTIFICATE OF TEST CERTIFICAT D'ESAIS

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT Page 01 of 02

Certification Date 5-FEB-2018

Invoice Number T375377

44051

PART NUMBER/NUMÉRO DE PIÈCE

510550

SOLD TO: VENDU À:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

N

0.02

2625 BOUL JACQUES CARTIER EST

LONGUEUIL OC J4N 1L7

2625 BOUL JACOUES CARTIER EST

LONGUEUIL OC J4N 1

Description: P 2-3/4 RD X 12) R/L

HEAT: 504M

17-4 SOL ANN CF BAR

ITEM: 510550

ASTM A564

Line Total: 12.5 FT

Specifications: AMS 5643 U) UNS SI7400 AMS 2303 F ASTM A388-S1

ASTM A564 T630 13 EN 10204 3.1

ASTM F899 12B

ASME SA564 T630 07 ASTM A484 16

API 6A PSL 3

STEEL 630 (17-4)

DFAR 252.225-7009

ASTM A751 CHEM 14A

CHEMICAL ANALYSIS

C CB CO CR CU MN MO 0.031 0.205 0.06 15.34 3.31 0.62 0.02 NI P S SI TA TI 4.17 0.017 0.0134 0.57 0.0125 0.002 0.2175

RCPT: R339312

COUNTRY OF ORIGIN : USA

MECHANICAL PROPERTIES

DESCRIPTION

ULT TEN

%RED HARDNESS

COND A

%ELONG

IN AREA

BHN

363

DESCRIPTION DEV: H900 L

YLD STR KSI 171.47

YLD STR

ULT TEN KSI 197.57

%ELONG IN 02 IN 10.3

%RED IN AREA 50.92

HARDNESS RC 42

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. ./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives on frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

garne heapres

CERTIFICATE OF TEST CERTIFICAT D'ESAIS

Page 01 of 02

Certification Date 26-JAN-2018

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

44051

GRAIN SIZE :8 -

PART NUMBER/NUMÉRO DE PIÈCE

Invoice Number S702750

510	522						
SOLD TO: VENDU À:		SOLUTIONS I	EXPÉD	IÉ À:	METAUX SOLI	UTIONS	(RIVE-SUD)
	2625 BO LONGUEU	UL JACQUES IL QC J4N	CARTIER EST	? :	2625 BOUL (LONGUEUIL		RTIER EST
Descrip 1 RD X HEAT:	tion: 1 12') R/L 452K	7-4 SOL ANN	CF BAR ITEM: 51	0522	ASTM A564 Line Total		
Specifi AMS 564 ASTM F8	cations: 3 U N 99 12B	A: Ai	STM A564 T6 MS 5643 U	30 13	ASME S ASTM A	SA564 T630 A388-S1	07
			CHEMICA	L ANALYSIS			
C 0.01	CB 0.197	CO 0.05	CR 15.18	CU 3.25	MN 0.55		
4.28	0.016	S 0.0123	0.58	0.005	TI 0.002	CBTA 0.202	
RCPT: I	R291204				OF ORIGIN	: USA	
			MECHANI				
DESCRIPT	rion	YLD STR	ULT TEN	%ELONG			
ESCRIPT	CION 00 L	YLD STR KSI 181.06	KSI	IN 02 IN	IN AREA	RC	

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. //Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihant.

JOANNE DESPRES

euros Lespreis

CERTIFICATE OF YEST CERTIFICAT D'ESAIS

Page 02 of 02

Certification Date 26-JAN-2018

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

44051

PART NUMBER/NUMÉRO DE PIÈCE

Invoice Number \$702750

510522

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À: METAUX SOLUTIONS

(RIVE-SUD)

VENDU À:

2625 BOUL JACQUES CARTIER EST

LONGUEUIL OC J4N 1L7

2625 BOUL JACQUES CARTIER EST LONGUEUIL OC J4N 1

Description:

17-4 SOL ANN CF BAR

ASTM A564

Line Total: 24.6 FT

1 RD X 12 R/L HEAT: 452K

ITEM: 510522

MATERIAL IS FREE FROM MERCURY CONTAMINATION

NO WELD REPAIR PERFORMED ON MATERIAL

MACRO: OK MICRO1: OK

COMMENTS

melted and mfg in usa reduction ratio 69.4:1

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel convert par ce rapport rencontre les spécifications décrites ci-

JOANNE DESPRES

summe Bespreis

CERTIFICATE OF TEST CERTIFICAT D'ESAIS

Page 02 of 02

Certification Date 5-FEB-2018

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

44051

PART NUMBER/NUMÉRO DE PIÈCE

Invoice Number T375377

510550

SOLD TO:

METAUX SOLUTIONS INC.

SHIP TO: EXPÉDIÉ À:

METAUX SOLUTIONS

(RIVE-SUD)

VENDU À:

2625 BOUL JACQUES CARTIER EST

2625 BOUL JACOUES CARTIER EST

LONGUEUIL OC J4N 1L7

LONGUEUIL OC J4N 1

Description:

17-4 SOL ANN CF BAR

ASTM A564

HEAT: 504M

2-3/4 RD X 12' R/L

ITEM: 510550

Line Total: 12.5 FT

GRAIN SIZE :7 -

MATERIAL IS FREE FROM MERCURY CONTAMINATION NO WELD REPAIR PERFORMED ON MATERIAL ULTRASONIC: YES THERMAL TREATMENT: OK ANN. @1900F FOR 1 HR MIN. AIR COOLED

MACRO: OK MICRO1: OK AMS NO :2303

SEVERITY :0.12 FREQUENCY: 0.21

COMMENTS

red. ratio 9.8:1

eu directive 2011/65/eu.rohs.

Material did not come in contact with mercury while in our possession./Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites cihant JOANNE DESPRES

rencontre les spécifications décrites ci-haut. The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

will meet the applicable requirements described herein, including any specification forming a

part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport

The above data were transcribed from the manufacturer's Certificate of Test after verification

for completeness and specification requirements of the information on the certificate. All test

spécifications inscrites sur le certificat. We hereby certify that the material covered by this report

results remain on file subject to examination. /Les informations ci-haut-mentionnées sont

transcrites du certificat d'essais du manufacturier après vérification de l'état complet des

game Despreis

METCOR INC.

560 BOUL AREHUR-SAUVÉ, ST-EUSTACHE, QC, JTR 5AS

Tél.: 450-473-1884

Télécopieur / Pax administration: 450-491-5498 Télécopieur / Pax production: 450-491-6454 Certificat de Conformit
Cenificate of Compliance
BON DE TRAVAIL CHARGEMEN
order
325143

.1

CLIENT / customer 780
METAUX SOLUTIONS
2025 BOUL JACQUES-CARTIER EST
LONGUEUL CO. JER 003

LIVRÉ À / shipped to: METAUX SOUJTIONS 2626 ROUL, JACQUES-CARTIER EST LOPCO TEUR GO 169 865

COMMANDE DU CLIENT oustomer po		CLASSIFICATION PIECE part elassification	MATÉRIEL material	MATTRE D'OEUVRE prime contractor	FROGRAM
44054		N/A	17-4FH		enteres e e communication en esta colorado ante differente desde e comita. Torquis e esta acommunicación
AGE HARDEN		and the state of t	<u>NONS DU PROC</u> sing specifications		and and a fine for the contract of the first of the contract o
CONDITION H & X!GENCE / requ		ÉCITICATIONE /	the second secon		Mildelind white tensors are retain that the company of the "discours retains as ", guideline the company of the "discours retains as ", guideline the company of the compan
HARDNESS		- 47 HRC	3	S / performed RÉSULTAT: 44 - 48 HR	AMERICA COMPANY AND DESCRIPTION OF SECURITY OF SECURIT
QUANTITÉ quantity	POIDS weight	DESCRIPTION DES PIÈ		The first state of the state of	
3	315	SHAFT 2,75" X 12' 6" / 1 1 PALETTE	" X 12" .	And the second section of the section of t	The American Charles and American Consequent
	4				

COMMENTAIRES / comments

APPROUVÉ par / Approved by:

1959 151 . . perce

DATE: 2018-02-07

MPPROUVE